

RECEIVED
CENTRAL FAX CENTER

DEC 20 2006

Holmbo Law Office

FAX TRANSMISSION December 18, 2006

TO: Mail Stop: AMENDMENT
Examiner: J. Hanley
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

FROM: Dwight N. Holmbo

OUR REF: 132226

TELEPHONE: (507) 351.4450

Total pages, including cover letter: 13

PTO FAX NUMBER: 571.273.8300

If all pages are NOT received, please call us at 507.351.4450 or fax us at 507.362.8753.

Title of Document: SUPPLEMENTAL AMENDMENT

Applicant: BARSHINGER et al.
Serial No.: 10/686,756
App. Filed: October 16, 2003
Group Art No.: 2856Please charge any additional fees or credit overpayment to Deposit Account No. 07-0868.
Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate.By: Dwight N. Holmbo
Name: Dwight N. Holmbo
Reg. No.: 36,410

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Dwight N. Holmbo

Dwight N. Holmbo
Signature12-20-2006
Date

Holmbo Law Office,
611 1st Street N.
Waterville, MN 56096
507.351.4450

DEC 20 2006

S/N 10/686,756


PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	BARSHINGER ET AL.	Examiner:	J. Hanley
Serial No.:	10/686,756	Group Art Unit:	2856
Filed:	October 16, 2003	Docket No.:	132226
Title:	TWO DIMENSIONAL PHASED ARRAYS FOR VOLUMETRIC ULTRASONIC INSPECTION AND METHODS OF USE		

CERTIFICATE UNDER 37 CFR 1.6(d)

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on December 18, 2006.

By:



Name: Dwight N. Holmbo

SUPPLEMENTAL AMENDMENT

Mail Stop: AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:

This supplemental amendment is being submitted to correct the Examiner name and Application Serial Number that appears in the header information block at the top of each page of the Amendment and Response Under 37 CFR 1.114 that was filed on December 18, 2006. The last eleven (11) sheets (pages 2-12) of the Amendment and Response Under 37 CFR 1.114 are being resubmitted with the correct Examiner name and Application Serial Number that appears in the header information block at the top of each page respectively.